

TAKINGAMATER AGROSS LANDS


Jindal SAW Ductile Iron Pipes








Water and land, the two prime elements of life, must co-exist in accord. And the chord that keeps them together, to everyone's surprise, is actually the industrial pipes. The robust industrial Ductile Iron Pipes that share the common space and run across the globe like a lifeline to civilizations.





Jindal SAW Limited is a large-scale trans-regional and multi-industrial enterprise holding a commanding position in India's tubular market. In 1984, Jindal SAW Ltd. became the first company in India to manufacture Submerged Arc Welded (SAW) Pipes using the internationally acclaimed U-O-E technology.

Jindal SAW has integrated facilities based at multiple locations in India and abroad where advanced quality industrial pipes are manufactured. Ductile Iron (DI) Pipes for water and wastewater transportation; large diameter submerged arc welded pipes and spiral pipes for water, oil and gas transportation as well as seamless pipes and tubes for industrial applications are the prime products exported to numerous countries, including Europe, Middle East, Africa, South America, Australia, and South East Asia.


Jindal SAW has ventured into new businesses in the urban services sector and is surging towards new milestones in its enterprises with respect to water management, waterborne transportation, Waste-to-Energy and rail infrastructure. Likewise, the company's whole-hearted support to Svayam - National Centre for Inclusive Environment, is taking giant strides in making public infrastructure accessible to all.



COMMITTED TO QUALITY, ALWAYS. Technical Specifications.

Standard Product	Ductile Iron Pipe suitable for Push-on-Jointing*			
Class of Pipe	C20, C25, C30, C40, C50, C64, C100, PP, Class K7 & K (Refer Table 1 for details)			
Size Range	DN 80mm to DN 2200mm			
Standard Length (in meters)	5.5 or 6.0			
Internal Linings	 Cement* Mortar Lining Cement Mortar Lining with Epoxy Seal Coat Cement Mortar Lining with Bituminous Seal Coat *Cement Type: Ordinary Portland Cement/Sulphate Resistant Cement/Blast Furnace Slag Cement. 			
Outside Coatings	 Zinc Coating (130 gm/m² or 200 gm/m² or 400 gm/m²) with finishing layer of Bitumen/ Blue Epoxy/Red Epoxy; Alloy of Zinc and Aluminium with or without othe metals having a minimum mass of 400 gm/m² wifinishing layer of Bitumen/Blue Epoxy/Red Epoxy 			
Outside Onsite Protection	Polyethylene Sleeving			
Coating of Joint Area	Bitumen/Epoxy/Polyurethane or as per customer requirement			
Conforming Specifications	ISO 2531; BSEN 545; BSEN 598; ISO 7186; IS 8329			
*ISAW also provides solutions fo	r ninelines subjected to unhalanced thrust forces by customized design			


^{*}JSAW also provides solutions for pipelines subjected to unbalanced thrust forces by customized design and supply of Restrained/Anchor joint alternatives.





PUSH ON JOINTS.

Dimension Details.



Key

OL = overall length in meters;

DOS = depth of socket in meters;

Lu = OL - DOS; standardized length in meters;

e = nominal wall thickness in mm;

DE = nominal external diameter of spigot in mm;








Table 1: Nominal thickness chart for various classes of push on joint Ductile Iron Pipes.

		DIAMETER,	NOMINAL PIPE WALL THICKNESS, e (mm)									
(mm)	DE (mm)			VARIOUS CLASSES OF PIPES								
	Nominal	Limit Deviations	C20	C25	C30	C40	C50	C64	C100	As per BSEN-598 (Pressure Pipe)	К7	К9
80	98	+1 / -2.7				4.4	4.4	4.4	4.8	4.8	5.0	6.0
100	118	+1 / -2.8				4.4	4.4	4.4	5.5	4.8	5.0	6.0
125	144	+1 / -2.8		112		4.5	4.5	4.8	6.5	4.8	5.0	6.0
150	170	+1 / -2.9				4.5	4.5	5.3	7.4	4.8	5.0	6.0
200	222	+1 / -3.0				4.7	5.4	6.5	9.2	4.9	5.0	6.3
250	274	+1 / -3.1				5.5	6.4	7.8	11.1	5.3	5.3	6.8
300	326	+1 / -3.3			5.1	6.2	7.4	8.9	12.9	5.6	5.6	7.2
350	378	+1 / -3.4		5.1	6.3	7.1	8.4	10.2	14.8	6.0	6.0	7.7
400	429	+1 / -3.5		5.5	6.5	7.8	9.3	11.3	16.5	6.3	6.3	8.1
450	480	+1 / -3.6		6.1	6.9	8.6	10.3	12.6	18.4	6.7	6.6	8.6
500	532	+1 / -3.8		6.5	7.5	9.3	11.2	13.7	20.2	7.0	7.0	9.0
600	635	+1 / -4.0	111	7.6	8.7	10.9	13.1	16.1	23.8	7.7	7.7	9.9
700	738	+1 / -4.3	7.3	8.8	9.9	12.4	15.0	18.5	27.5	9.6	8.4	10.8
750	790	+1/		WANTED VI							8.8	11.3
800	842	+1 / -4.5	8.1	9.6	11.1	14.0	16.9	21.0		10.4	9.1	11.7
900	945	+1 / -4.8	8.9	10.6	12.3	15.5	18.8	23.4		11.2	9.8	12.6
1000	1048	+1 / -5.0	9.8	11.6	13.4	17.1	20.7			12.0	10.5	13.5
1100	1152	+1 / -6.0	10.6	12.6	14.7	18.7	22.7			14.4	11.2	14.4
1200	1255	+1 / -5.8	11.4	13.6	15.8	20.2				15.3	11.9	15.3
1400	1462	+1 / -6.6	13.1	15.7	18.2					17.1		17.1
1500	1565	+1 / -7.0	13.9	16.7	19.4					17.9		18.0
1600	1668	+1 / -7.4	14.8	17.7	20.6					18.9		18.9
1800	1875	+1 / -8.2	16.4	19.7	23.0					20.7		20.7
2000	2082	+1 / -9.0	18.1	21.8	25.4					22,5		22.5
2200	2288	+1 /-	19.8	23.8								24.3

Note: The K-7 pipes of higher thickness as per the respective national standard can be supplied.









The Integrated Greenfield Project of Ductile Iron Pipe and pig iron unit is located at Samaghogha in Mundra, close to Mundra and Kandla ports in Gujarat. This port-based facility includes:

- · Coke oven battery plant
- Sintering plant
- Blast furnace
- · DI pipe manufacturing facility

Jindal SAW has enhanced its production capacity for manufacturing DI pipes from 300,000 MT to 500,000 MT per annum, by installation of a state-of-the-art Small Diameter Plant (SDP), with size range DN 80 to DN 200.

Further, Jindal SAW has installed a Ductile Iron Pipe manufacturing plant at Abu Dhabi, United Arab Emirates. This facility is capable to manufacture DI pipes in size range of DN 250 to DN 2200, with an installed capacity of 350,000 MT per annum.

In line to its vision to serve the global market, Jindal SAW has also acquired a DI pipe manufacturing plant at (Sertubi), Italy, namely Jindal Saw Italia (Sertubi) having installed capacity of 80,000 MT per annum. The plant will cater to the requirements of European countries.



Quality is the essence of Jindal SAW brand and therefore quality checks are done at every stage of the manufacturing process to create a product conforming to International Standards. The plant having its own Blast Furnace Manufacturing unit (MBF) provides for a steady and continuous feed of raw material to the casting unit. The facility is established with an advanced pollution control system that makes the unit completely environment-friendly, maintaining natural ecology of the area.

The pipes manufactured by the company are energy-efficient, reduce dependence on fossil fuels, and help conserve natural resources like water.



MAKING PRESENCE FELT.





Manufacturing Plants	JINDAL SAW LIMITED (INDIA)	JINDAL SAW GULF L.L.C (ABU DHABI)	JINDAL SAW ITALIA SPA (ITALY)
Annual Capacity	500,000 MT	350,000 MT	80,000 MT
Size Range	80 mm-1000 mm	200 mm-2200 mm	60 mm-800 mm
Class of Pipes	C Class & K Class	C Class & K Class	C Class & K Class
Joints	Push on Socket and Spigot (TJ), Restrained Joint, Flanged Joint	Push on Socket and Spigot Joint (TJ), Restrained Joint, Mechanical Restrained Joint (MRJ)	Standard Socket and Spigot Joint (AJ), Push on Socket and Spigot Joint to DIN 28603 (TJ), Self-anchored Restrained Joint (RAJ & RTJ) Mechanical Restrained Joint (MRJ)
Conforming Standards	ISO 2531 BSEN 545 BSEN 598 ISO 7186 IS 8329	ISO 2531 BSEN 545 BSEN 598 ISO 7186	ISO 2531 BSEN 545 BSEN 598
Type of Linings	OPC, BFSC, SRC, HAC* & Epoxy Seal Coat	OPC, BFSC, SRC, HAC	BFSC, SRC, HAC
Type of Coatings	Zn & Zn-Al Coatings as per National & International Standards	Zn & Zn-Al Coatings as per National & InternationalStandards	Zinc Coating: 200 gm/m ² Zn-Al: 400 gm/m ²
Finishing Layer	Blue/Red Epoxy or Black Bitumen	Blue/Red Epoxy or Black Bitumen	Blue/Red Epoxy or Black Synthetic Paint
Special Coatings	External and Internal Polyurethane Coatings as per BSEN 15189 and BSEN 15655 respectively for DN 80 to 1000 mm.	External and Internal Polyurethane Coatings as per BSEN 15189 and BSEN 15655 respectively for DN200 to 2200 mm.	

*OPC - Ordinary Portland Cement BFSC - Blast Furnace Slag Cement SRC - Sulphate Resistant Cement HAC - High Alumina Cement

ACKNOWLEDGED FOR ITS EXCELLENCE. International Accreditations.

Accreditation By	Type of Accreditation	Standards Covered	Plant Accredited	
Bureau Veritas	Quality Management System	ISO 9001:2008	Jindal SAW - India, Jindal SAW Gulf LLC - Abu Dhabi, Jindal SAW Italia (Sertubi	
Bureau Veritas	Management System	ISO 14001:2004	Jindal SAW - India	
TUV NORD CERT GmbH	Management System	BS OHSAS 18001:2007	Jindal SAW - India	
British Standards Institute (BSI), UK	Certification and Quality Label (BSI Kitemark)	BSEN 545; BSEN 598; ISO 2531	Jindal SAW - India	
Bureau Veritas, Italy	Product Certification (Conformity to standards)	BSEN 545; BSEN 598; ISO 2531; ISO 7186	Jindal SAW - India, Jindal SAW Gulf LLC, Jindal SAW Italia (Sertubi	
Drinking Water Inspectorate (DWI),	Regulation 31	Regulation 31 and	Jindal SAW Italia (Sertubi	
UK	Approval for supply in UK	BSEN 545	Jindal SAW - India, Jindal SAW Italia (Sertubi	
Wrc (UK)	WRAS Scheme	Ordinary Portland Cement Sulphate Resistant Cement	Jindal SAW - India, Jindal SAW Gulf LLC.	
	(Certification of materials in contact with	Blast Furnace Slag Cement	Jindal SAW Gulf LLC, Jindal SAW Italia (Sertubi	
	potable water)	OPC with Epoxy Seal Coat	Jindal SAW - India	
DVGW (Germany)	Product Certification	BSEN 545, BSEN 598	Jindal SAW Italia (Sertubi Jindal SAW - India	
ZIK (Croatia)	(Conformity to standards)			
IGQ Product Certifications (Italy)				
Canal De Provence (France)				
ZAG (Slovenia)				
Bulgarkontrola (Bulgaria)				
OKTVF (Ungheria)			Jindal SAW Italia (Sertubi	
Consilium Technic Permanent Pentru Constructii (Romania)				
Technicky Skusobny Ustav Piestany (Slovakia)	Product Certification (Conformity to	BSEN 545		
Narodowy Instytut Zdrowia Publicznego (Poland)	standards)			
Strojirensky Zkusebni Ustav S.P (Czech Republic)				
SSIGE (Switzerland)				
Belgaqua /Copro (Belgium)	The state of the s			
AGBAR Sociedad General De Aguas De Barcelona S.A (Spain)				
Jordonian Water Authority (Jordan)				

A 'YES' IS ALWAYS THE ANSWER. Jindal SAW's Current Approvals / Credentials.



Name of the Country	Name of the Entity			
UK	DWI, Anglian Water, Veolia Water			
Qatar	KAHRAMAA, Qatar			
Oman	PAEW (Public Authority for Electricity and Water), Sultanate of Oman			
Kingdom of Saudi Arabia	Saudi Arabian Standards Organization (SASO) Ministry of Water and Electricity (MOWE) National Water Company (NWC)			
Iraq	Ministry of Water Resources			
Spain	ACUANORTE, ACUAMED, AGUAS DE CASTELLÓN, AGUAS DE TXINGUDI, AGUAS DE VALENCIA, ALJARAFESA, AQUALIA, AQUALOGY, CH GUADALQUIVIR, CONSORCIO AGUAS BILBAO, EMALSA, EMASESA, EMAYA, EMUASA,			
Sri Lanka	National Water Supply and Drainage Board			
Morocco	ONEE (Office National de l'Electricité et de l'Eau Potable)			
Bhutan	Standards and Quality Control Authority			

AMONGST OUR SATISFIED CUSTOMERS.

Country	Water Authority / End User
Algeria	ANBT (L'Agence Nationale des Barrages et Transferts), ONID (Office National de l'Irrigation), DHW's (Directions de l'Hydraulique des wilayas)
Morocco	ONEE (Office National de l'Electricité et de l'Eau Potable)
United Kingdom	DWI, Anglian Water, Veolia Water, South East Water
Oman	PAEW (Public Authority for Electricity and Water)
Saudi Arabia	NWC (National Water Company), MOWE (Ministry of Water & Electricity)
Spain	ACUANORTE, ACUAMED, AGUAS DE CASTELLÓN, AGUAS DE TXINGUDI, AGUAS DE VALENCIA, ALJARAFESA, AQUALIA, AQUALOGY, CH GUADALQUIVIR, CONSORCIO AGUAS BILBAO, EMALSA, EMASESA, EMAYA, EMUASA,
Sri Lanka	NWSDB (National Water Supply & Drainage Board)
Seychelles	PUC (Public Utilities Corporation)
Bhutan	Standards & Quality Control Authority
UAE	FEWA (Federal Electricity & Water Authority), ADWEA (Abu Dhabi Water and Electricity Authority)
Jordan	WAJ (Water Authority of Jordan)
Bahrain	EWA
Italy	ASSOFOND (AQUAGS)
France	IGQ
Germany	DVGW
Belgium	BELGAQUA
Poland	PZH
Czech Republic	SZU
Hungary	VITUKI
Slovakia	TSU
Croatia	ZIK
Romania	ICECON SA
Bulgaria	BULGARKONTROLA S.A
Switzerland	SSIGE





